

Dimension d'encombrement			Charge de base (kN)		Vitesse maximum		Désignation	Masse (kg)
d	D	B	C _r	C _{or}	Graisse	Huile		
30	62	16	43.3	50.5	6300	8400	30206	0.23
	62	20	51.8	63.7	6300	8400	32206	0.28
	72	19	59	63.1	5700	7600	30306	0.38
	72	27	81.6	96.4	5700	7600	32306	0.56
35	62	18	41.5	52.5	6100	8100	32007	0.22
	72	17	54.2	63.5	5500	7400	30207	0.33
	72	23	70.6	89.5	5500	7400	32207	0.44
	72	28	87.5	109	5500	7400	33207	0.53
	80	21	75.3	82.6	5000	6600	30307	0.51
	80	31	99	118.3	5000	6600	32307	0.76
40	68	19	50	65	5300	7100	32008	0.27
	68	22	59.5	82.5	5300	7100	33008	0.31
	75	26	79.5	103	5200	6900	33108	0.39
	80	18	63	74	4900	6600	30208	0.42
	80	23	77.9	97.2	4500	6000	32208	0.55
	80	32	103	132	4900	6600	33208	0.73
	90	23	90.9	107.6	4400	5900	30308	0.74
	90	23	85	81.5	5600	7500	31308	0.72
45	90	33	115	147	4200	5700	32308	1
	75	20	57.5	76.5	4800	6400	32009	0.35
	75	24	66	83.5	4800	6400	33009	0.4
	80	26	84.5	115	4700	6200	33109	0.54
	85	19	67.9	83.6	4400	5900	30209	0.47
	85	23	80.7	104	4200	5500	32209	0.6
	85	32	107	141	4400	5900	33209	0.78
	100	25	108.9	129.8	4000	5300	30309	0.98
	100	25	106	102	5000	6700	31309	0.95
50	100	36	145	180	3800	5100	32309	1.4
	80	20	62.5	88	4400	5800	32010	0.37
	80	24	69.5	103	4400	5800	33010	0.43
	85	26	86.5	121	4200	5600	33110	0.58
	90	20	73.3	92.1	4000	5300	30210	0.52
	90	23	82.8	107.6	3800	5000	32210	0.64
	90	32	115	158	4000	5300	33210	0.85
	110	27	130.1	157	3600	4800	30310	1.28
	110	27	122	120	4500	6000	31310	1.2
55	110	40	177	236	3400	4600	32310	1.9
	90	23	80.5	118	4000	5400	32011	0.56
	90	27	91.5	138	4000	5400	33011	0.64
	95	30	111	155	3900	5200	33111	0.85
	100	21	90.8	113.7	3600	4900	30211	0.71
	100	25	108	142.3	3300	4500	32211	0.87
	100	35	138	188	3600	4900	33211	1.15
	120	29	153	188	3300	4400	30311	1.63
	120	29	140	137	4300	5600	31311	1.5
	120	43	203	271	3100	4200	32311	2.4
60	120	29	129	158	2700	3500	L30311	1.67
	95	23	82	123	3700	4900	32012	0.58
	95	27	93.5	145	3700	4900	33012	0.68
	100	30	113	164	3600	4700	33112	0.91
	110	22	103.3	130	3400	4500	30212	0.9
	110	28	133	180	3200	4200	32212	1.1
	110	38	167	234	3400	4500	33212	1.55
	130	31	171	210	3000	4000	30312	1.99
130	31	166	166	3800	5300	31312	1.9	

Dimension d'encombrement			Charge de base (kN)		Vitesse maximum		Désignation	Masse (kg)
d	D	B	C _r	C _{or}	Graisse	Huile		
60	130	46	226	303	2800	3800	32312	3
65	100	23	83	128	3400	4600	32013	0.63
	100	27	97.5	156	3400	4600	33013	0.73
	110	34	144	211	3300	4400	33113	1.28
	120	23	120.6	153	3100	4200	30213	1.13
	120	31	161	222	2800	4000	32213	1.5
	120	41	195	265	3100	4200	33213	1.98
	140	33	196	242	2800	3700	30313	2.44
	140	33	190	193	3600	4800	31313	2.35
	140	48	260	340	2600	3500	32313	3.6
	140	33	196	242	2600	3500	L30313	2.44
70	110	25	105	160	3200	4200	32014	0.85
	110	31	127	204	3200	4200	33014	1.07
	120	37	172	250	4000	5300	33114	1.7
	125	24	132.3	174	2900	3900	30214	1.26
	125	31	169	237	2700	3800	32214	1.68
	125	41	201	282	2900	3900	33214	2.1
	150	35	219	272	2600	3500	30314	2.98
	150	35	216	220	3400	4500	31314	2.95
	150	51	198	408	2400	3300	32314	4.4
	150	35	219	272	2400	3300	L30314	2.98
75	115	25	106	167	3000	4000	32015	0.91
	115	31	129	212	3000	4000	33015	1.13
	125	37	176	265	3800	5000	33115	1.8
	130	25	138.4	185	2700	3600	30215	1.36
	130	31	170	242	2500	3500	32215	1.7
	130	41	208	298	2700	3600	33215	2.2
	160	37	253	319	2400	3200	30315	3.57
	160	37	240	245	3200	4300	31315	3.5
	160	55	345	480	2200	3000	32315	5.3
	165	45	237	366	3100	2800	30615	2.69
80	125	29	139	216	2800	3700	32016	1.28
	125	36	173	284	2800	3700	33016	1.6
	130	37	179	280	3600	4800	33116	1.9
	140	29	142	224	2600	3500	12J150T465	1.95
	140	26	160	213	2500	3400	30216	1.67
	140	33	198	279	2300	3200	32216	2.1
	140	46	250	365	2500	3400	33216	2.92
	170	39	279	353	2300	3000	30316	4.27
	170	39	260	265	3000	4000	31316	4.05
	170	58	386	543	2100	2800	32316	6.1
85	130	29	142	224	2600	3500	32017	1.35
	130	36	176	296	2600	3500	33017	1.7
	140	41	220	340	3400	4500	33117	2.45
	150	28	178	237	2400	3200	30217	2.06
	150	36	227	324	2200	3200	32217	2.7
	180	41	305	388	2100	2900	30317	4.96
	180	41	242	285	2600	3800	31317	4.6
	180	60	421	592	1900	2700	32317	7.1
90	140	32	168	270	2500	3300	32018	1.79
	140	39	215	360	2500	3300	33018	2.18
	150	45	251	390	3000	4300	33118	3.1
	160	30	200	270	2200	3000	30218	2.54
	160	40	270	396	2000	3000	32218	3.4
	190	43	342	441	2000	2700	30318	5.8

Dimension d'encombrement			Charge de base (kN)		Vitesse maximum		Désignation	Masse (kg)
d	D	B	C _r	C _{or}	Graisse	Huile		
90	190	43	264	315	2400	3400	31318	5.9
	190	64	478	683	1800	2500	32318	8.5
95	145	32	171	280	2300	3100	32019	1.83
	145	39	219	375	2300	3100	33019	2.27
	170	32	227	309	2100	2800	30219	3.04
	170	43	303	448	1900	2800	32219	4.3
	200	45	369	478	1900	2500	30319	6.8
	200	45	292	355	2400	3400	31319	3.95
	200	67	516	737	1700	2300	32319	10.1
100	150	32	170	281	2200	3000	32020	1.91
	150	39	224	390	2200	3000	33020	2.37
	165	52	325	523	2800	4100	33120	4.29
	180	34	254	350	2000	2700	30220	3.72
	180	46	341	512	1800	2600	32220	5.1
	215	47	406	526	1800	2400	30320	8.22
	215	51	430	465	2400	3000	31320	8.6
	215	73	600	872	1600	2100	32320	13.01
105	160	35	201	335	2100	2800	32021	2.42
	160	43	245	420	2100	2800	33021	3
	175	56	360	607	2600	3800	33121	5.33
	190	36	285	399	1900	2500	30221	4.38
	190	50	381	579	1700	2500	32221	6.2
	225	49	433	562	1700	2300	30321	9.38
110	170	38	236	390	2000	2700	32022	3.07
	170	47	288	500	2000	2700	33022	3.8
	180	56	369	630	2600	3400	33122	5.55
	200	38	315	444	1800	2400	30222	5.21
	200	53	432	666	1700	2400	32222	7.1
	240	50	473	612	1600	2200	30322	11
	240	57	457	585	1900	2800	31322	12
	240	80	627	830	1400	1900	32322	17
120	180	38	245	420	1800	2500	32024	3.25
	180	48	292	540	2600	3400	33024	4.2
	200	62	462	785	2400	3200	33124	7.73
	215	40	337	483	1700	2200	30224	6.2
	215	58	468	695	1600	2200	32224	9.15
	260	55	561	710	1500	2000	30324	14
	260	62	539	695	1700	2400	31324	15.5
	260	86	792	1120	1300	1800	32324	21.5
130	200	45	320	545	1700	2200	32026	4.96
	230	40	366	521	1500	2000	30226	6.94
	230	64	550	830	1500	2000	32226	11.5
	280	58	627	800	1300	1800	30326	17
	280	66	605	780	1600	2400	31326	18.5
	280	93	858	1180	1100	1600	32326	30.5
140	210	45	330	580	1600	2100	32028	5.28
	250	42	409	585	1400	1900	30228	8.73
	250	68	644	1000	1400	1900	32228	14.5
	300	62	737	950	1200	1700	30328	21
150	225	48	370	655	1400	1900	32030	6.37
	225	59	457	865	2000	2600	33030	8.15
	270	45	451	646	1300	1700	30230	10.8
	270	73	737	1140	1200	1700	32230	17.5
	320	65	825	1060	1100	1600	30330	28.5
	320	108	1170	1660	950	1400	32330	46

Dimension d'encombrement			Charge de base (kN)		Vitesse maximum		Désignation	Masse (kg)
d	D	B	C _r	C _{or}	Graisse	Huile		
160	240	51	435	790	1400	1800	32032	7.8
	290	48	512	739	1200	1600	30232	13.3
	290	80	880	1400	1100	1600	32232	25.5
	340	68	913	1180	1000	1500	30332	29
170	260	57	500	895	1300	1700	32034	10.5
	310	52	591	866	1100	1500	30234	16.6
	310	86	1010	1630	1000	1500	32234	28.5
	360	72	1020	1340	950	1400	30334	35
180	280	64	645	1170	1200	1600	32036	14.5
	320	52	610	912	1100	1400	30236	17.3
	320	86	1010	1630	950	1400	32236	29.5
190	290	64	655	1210	1100	1500	32038	15.1
	340	55	715	1000	1000	1300	30238	20.8
	340	92	1000	1670	1000	1300	32238	33.3
200	310	70	800	1470	1100	1400	32040	19.3
	360	58	675	990	950	1300	30240	25.4
	360	98	1150	1970	950	1300	32240	43.6
220	340	76	920	1690	960	1300	32044	25
	400	65	990	1400	950	1300	30244	40
	400	108	1610	2700	1100	1500	32244	60
240	360	76	930	1760	870	1200	32048	26.8
	440	120	1790	3350	1000	1400	32248	83.5